

RedHill Biopharma Ltd.

(NASDAQ/ TASE: RDHL)

RHB-104 Phase III Crohn's Disease Program Update
October 2, 2017



Disclaimer and Forward Looking Statements

This presentation does not constitute an offer or invitation to sell or issue, or any solicitation of an offer to subscribe for or acquire any of the Company's securities or to participate in any investment in the Company.

No representation or warranty is made to the accuracy or completeness of this presentation. You must make your own investigation and assessment of the matters contained herein. In particular, no representation or warranty is given, and the Company has no responsibility, as to the achievement or reasonableness of any forecasts, estimates, or statements as to prospects contained or referred to in this presentation.

Statements in this presentation that are not historical facts (including statements containing "believes," "anticipates," "plans," "expects," "may," "will," "would," "intends," "estimates" and similar expressions) are forward-looking statements within the meaning of the U.S. Private Securities Litigation Reform Act of 1995. These statements are not guarantees of future performance, are based on current expectations of future events and are subject to risks and uncertainties that could cause actual results to differ materially from those expressed or implied by such statements, including risks that the curtailment of the target sample size in the first Phase III study with RHB-104 for the treatment of Crohn's disease may have an impact on the outcome of the study in a manner currently unknown and may not shorten the development program of the study as expected and may not result in the cost savings we have projected, among other risks. Additional information about the risk factors that may affect the realization of forward-looking statements is set forth in the Company's filings with Securities and Exchange Commission, including the Company's Annual Report on Form 20-F filed on February 23, 2017. If one or more of these factors materialize, or if any underlying assumptions prove incorrect, our actual results, performance or achievements may vary materially from any future results, performance or achievements expressed or implied by these forward-looking statements. You should not place undue reliance on forward-looking statements as a prediction of actual results.

All forward-looking statements included in this presentation are made only as of the date of this presentation. We assume no obligation to update any written or oral forward-looking statement made by us or on our behalf as a result of new information, future events or other factors.

Pipeline*

| | Product** | Indication | Pre-Clinical | Phase I/II | Phase III | NDA/Marketed | |
|---|------------------------------------|--|--|------------|-----------|--------------|--|
| GI & Inflammation | Donnatal® | IBS and acute enterocolitis*** | U.S. CO-PROMOTION | | | | |
| | EnteraGam® | Chronic diarrhea and loose stools**** | U.S. EXCLUSIVE LICENSE | | | | |
| | Esomeprazole Strontium DR Capsules | GERD and other GI conditions***** | U.S. COMMERCIALIZATION LICENSE | | | | |
| | TALICIA™ (RHB-105) | <i>H. pylori</i> infection | Successful first U.S. Phase III completed; Confirmatory U.S. Phase III ongoing | | | | |
| | RHB-104 | Crohn's disease | Phase III MAP US study and Phase III MAP US2 extension study are ongoing | | | | |
| | | NTM infections | Pivotal Phase III study planned | | | | |
| | BEKINDA® (RHB-102) | Gastroenteritis | Successful top-line results from Phase III U.S. study | | | | |
| IBS-D | | Phase II U.S. study ongoing | | | | | |
| RHB-106 | Bowel cleanser | Worldwide rights licensed to Salix Pharmaceuticals | | | | | |
| Oncology/GI Inflammation | YELIVA® (ABC294640) | Multiple indications | Multiple Phase I/II studies ongoing and planned | | | | |
| | MESUPRON | Pancreatic cancer | Completed Phase II studies including in pancreatic cancer | | | | |
| Other | RIZAPORT® (RHB-103) | Migraine | U.S. NDA filed - re-submission of NDA planned following CRL | | | | |
| EUROPEAN MAA APPROVED UNDER THE EUROPEAN DECENTRALIZED PROCEDURE | | | | | | | |

* Estimated timeline/indication in the pipeline is subject to changes in development plans and regulatory requirements/clarifications, including complementary /additional studies ** BEKINDA®, YELIVA®, RIZAPORT® and TALICIA™ are proposed tradenames which are subject to FDA review and approval *** For further information see slide 10. For full prescribing information see: www.Donnatal.com; ****EnteraGam® (a serum-derived bovine immunoglobulin/protein isolate, SBI) is a medical food which must be administered under medical supervision ***** for full information see slide 12; for full prescribing information see: <https://dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm?setid=53240ab5-98e7-4050-b640-e09c1271899a&type=display>

RedHill accelerates RHB-104 Phase III study in Crohn's Disease with Top-Line Results Expected Mid-2018

RedHill has curtailed the target sample size in the ongoing first Phase III study with RHB-104 for Crohn's disease (MAP US) from 410 to approximately 325 subjects, of which 322 have been enrolled to date, while maintaining statistical power of over 80% with a treatment effect of 15%

We have concluded that the study has sufficient enrollment to potentially demonstrate efficacy within the protocol-defined 15% treatment effect

Company remains blinded to the data



RHB-104 Indications

- A ground breaking anti-mycobacterial combination antibiotic targeting:
 - *Mycobacterium avium paratuberculosis (MAP)* for treatment of Crohn's disease
 - *Non-Tuberculous Mycobacteria (NTM)* – a pathogen that causes pulmonary disease that resemble tuberculosis
 - *Potentially other auto-immune diseases*
- First Phase III ongoing in Crohn's disease



Where There is Inflammation, Look for Infection

- Crohn's disease is increasingly associated with a pathological response to alterations in gut flora
- RHB-104 is a combination antibiotic designed to treat *Mycobacterium avium paratuberculosis* (MAP) - a putative cause of Crohn's disease
- Paradigm shift in pathophysiology not unlike *H. pylori* and peptic ulcer disease

Crohn's Disease - Current Therapies

- Worldwide market for Crohn's disease therapies estimated at over \$7.6B in 2016
- U.S. prevalent cases estimated at over 604,000 in 2016

Current therapies -

- Not curative
- Focus on modulation of inflammation
 - Simply turn down the volume



Crohn's Disease - Pathogenesis Hypothesis

Genetic susceptibility:
difficulty with intracellular parasites



Mycobacterium avium subsp. *Paratuberculosis*
via food, water (environment)




Crohn's disease

Johne's Disease and Crohn's Disease

- Intestinal diseases - Johne's disease in cattle and Crohn's in humans
- Severe chronic diarrhea, weight loss
- Characterized by granuloma formation
- Pathognomonic cobblestoning
- MAP is the infectious agent of Johne's
- MAP is difficult to identify in humans



Crohn's disease



Johne's disease



RHB-104 First Phase III MAP US Study

- Multi-center, randomized, double-blind, placebo-controlled, parallel group study
- 410 subjects randomized 1:1, 322 enrolled to date
- Up to 150 sites: U.S., Canada, Europe, Australia, New Zealand, Israel
- **Primary endpoint:**
 - Remission at 26 weeks
- **Secondary endpoints include:**
 - Response at 26 weeks
- **Exploratory endpoint**
 - MAP status via PCR and culture
 - Relationship to efficacy
- Two pre-planned independent DSMB meetings provided unanimous recommendations to continue the study

MAP US - Additional Study Endpoints

- Secondary and exploratory endpoints include:
 - Maintenance of remission through week 52
 - Time and duration of remission/response
 - CRP and fecal calprotectin
- Health related quality of life using IBDQ and SF 36
- Steroid discontinuation
- Safety
- Population PK
- CDEIS/SESCD
- Validation of MAP assay
- Lead investigator - Professor David Y. Graham MD (Baylor College of Medicine)

MAP US Study – Prior Major Amendments

- 50 sites, 240 subjects, 61.6% RHB-104 vs. 40% placebo
 - 21.6% treatment effect
 - Increased to 88 then 100 sites
- 120 sites, 270 subjects, 61.6% RHB-104 vs. 40% placebo
 - 21.6% treatment effect
- 150 sites, 410 subjects, 36% RHB-104 vs. 21% placebo
 - 15% treatment effect
 - Interim efficacy look for overwhelming superiority at $p < 0.003$
 - O'Brien Fleming final analysis p-value < 0.049

MAP US2 Study Ongoing - Open Label Phase III Extension Study

- All subjects with CDAI>150 at 26 weeks eligible for up to one year of treatment with RHB-104
 - Provides investigator and patient requested treatment option
- Separate study - will not impact MAP US timelines
- Expands safety and efficacy data set of RHB-104

MAP US Study - Status Before Curtailment

- 322/410 subjects enrolled = >75% of targeted enrollment
- Given recruitment challenges, targeted Last Patient In (LPI) may not occur until December 2018 (410 patients)
- Consistent blinded blended remission rate superior to pre-specified protocol assumptions support study curtailment with potential study success
- External expert review of subject accrual and powering assumptions
- RedHill & external expert review remain blinded to study data

MAP US Study - External Review Summary

- Advisors recommended against interim analysis for efficacy at DSMB 3 with 75% of subjects at week 26 CDAI
 - Involves statistical spend (penalty) of p-value given O'Brien Fleming calculations
- Curtailing the study to approximately 325 maintains >80% power if pre-specified 36% RHB-104 and 21% Placebo remission rates are unchanged

Curtailment of the MAP US Study

- Curtailment of the number of subjects in the MAP US study to a target sample size of approximately 325 subjects
 - Maintaining statistical power of over 80% with a treatment effect of 15%
 - Final statistical analysis remains unchanged with 15% treatment effect
- Consistent blinded blended remission rate superior to pre-specified protocol assumptions support study curtailment with potential study success
- Targeted placebo remission rates in line with approved Crohn's disease treatments
- Completion of enrollment for the study expected by November 2017; Top-line results expected in mid-2018

MAP US Study - Expected Benefits of Curtailment

- Avoids extended timelines and learning curve associated with new sites and countries
- Eliminates concerns of study fatigue at long term sites that have exhausted potential patient populations
- Avoids further use of advertising for subjects
- Provides preferred expedited development path assuming blinded blended remission rates remain constant
- Maintains protocol defined two sided p-value of 0.049 significance level using the O'Brien-Fleming method
- Development plan shortened by approximately 1 year
- Estimated cost saving of approximately \$14M

Conclusion

“We have concluded that the study has sufficient enrollment to potentially demonstrate efficacy within the protocol-defined 15% treatment effect”

“We are excited about the significant progress achieved with RHB-104 and look forward to top-line results from the MAP US Phase III study, expected in mid-2018”

Thank You!



RedHill Biopharma Ltd.
21 Ha'arba'a St. Tel-Aviv,
6473921. Israel
E:mail: info@redhillbio.com
Web: www.redhillbio.com
Tel: +972-3-541-3131